

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier:** NE265300 - NEROL AUTO LIQUIDO DE FRENOS DOT 4 A.B.S.

**Other means of identification:**

**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

Relevant uses: Brake fluid

Uses advised against: All uses not specified in this section or in section 7.3

**1.3 Details of the supplier of the safety data sheet:**

Nerol Lubricants, S.L.  
Ctra. de Mazarrón Km. 3 - Cartagena  
30393 Murcia - Murcia - España  
Phone: +34911271060  
info@lubricantsnerol.com  
www.lubricantsnerol.com

**1.4 Emergency telephone number:** EUROPE : +44 (0) 1235 239 670

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture:**

**GB CLP Regulation:**

Classification of this product has been carried out in accordance with GB CLP Regulation.

Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302

Eye Irrit. 2: Eye irritation, Category 2, H319

**2.2 Label elements:**

**GB CLP Regulation:**

**Warning**



**Hazard statements:**

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Irrit. 2: H319 - Causes serious eye irritation.

**Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after use.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330: Rinse mouth.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of the contents and/or its container using the separate collection system in your municipality.

**Substances that contribute to the classification**

Ethanediol; 2,2'-oxybisethanol; 1,1'-iminodipropan-2-ol

**2.3 Other hazards:**

Product fails to meet PBT/vPvB criteria

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substance:**

Non-applicable

**3.2 Mixture:**

**Chemical description:** Mixture of substances

- CONTINUED ON NEXT PAGE -



### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

#### Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

| Identification | Chemical name/Classification   | Concentration |
|----------------|--|---------------|
| CAS: 9004-77-7 | <b>Poly(ethylene glycol) butyl ether</b><br>Eye Irrit. 2: H319 - Warning | 25 - <50 %    |
| CAS: 107-21-1  | <b>Ethanediol</b><br>Acute Tox. 4: H302 - Warning                        | 10 - <25 %    |
| CAS: 111-46-6  | <b>2,2'-oxybisethanol</b><br>Acute Tox. 4: H302 - Warning                | 10 - <25 %    |
| CAS: 143-22-6  | <b>2-[2-(2-butoxyethoxy)ethoxy]ethanol</b><br>Eye Dam. 1: H318 - Danger  | 10 - <25 %    |
| CAS: 111-77-3  | <b>2-(2-methoxyethoxy)ethanol</b><br>Repr. 1B: H360D - Danger            | 1 - <2,5 %    |
| CAS: 112-34-5  | <b>2-(2-butoxyethoxy)ethanol</b><br>Eye Irrit. 2: H319 - Warning         | 1 - <2,5 %    |
| CAS: 110-97-4  | <b>1,1'-iminodipropan-2-ol</b><br>Eye Irrit. 2: H319 - Warning           | 1 - <2,5 %    |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

##### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

##### By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

##### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

##### By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

##### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

- CONTINUED ON NEXT PAGE -

**SECTION 5: FIREFIGHTING MEASURES (continued)****Unsuitable extinguishing media:**

Non-applicable

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

**6.4 Reference to other sections:**

See sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling:**

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

**7.2 Conditions for safe storage, including any incompatibilities:**

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

- CONTINUED ON NEXT PAGE -



**SECTION 7: HANDLING AND STORAGE (continued)**

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

| Identification                              | Occupational exposure limits |              |   |
|---|------------------------------|--------------|---|
|   | WEL (8h)                     | WEL (15 min) | WEL (8h)  |
| Ethanediol<br>CAS: 107-21-1                 | 20 ppm                       | 40 ppm       | 52 mg/m <sup>3</sup>                              |
| 2,2'-oxybisethanol<br>CAS: 111-46-6         | 23 ppm                       |              | 101 mg/m <sup>3</sup>                             |
| 2-(2-methoxyethoxy)ethanol<br>CAS: 111-77-3 | 10 ppm                       |              | 50.1 mg/m <sup>3</sup>                            |
| 2-(2-butoxyethoxy)ethanol<br>CAS: 112-34-5  | 10 ppm                       | 15 ppm       | 67.5 mg/m <sup>3</sup><br>101.2 mg/m <sup>3</sup> |

**DNEL (Workers):**

| Identification  |            | Short exposure |                         | Long exposure          |                        |
|---|------------|----------------|-------------------------|------------------------|------------------------|
|   |            | Systemic       | Local                   | Systemic               | Local                  |
| Ethanediol<br>CAS: 107-21-1<br>EC: 203-473-3                          | Oral       | Non-applicable | Non-applicable          | Non-applicable         | Non-applicable         |
|   | Dermal     | Non-applicable | Non-applicable          | 106 mg/kg              | Non-applicable         |
|   | Inhalation | Non-applicable | Non-applicable          | Non-applicable         | 35 mg/m <sup>3</sup>   |
| 2,2'-oxybisethanol<br>CAS: 111-46-6<br>EC: 203-872-2                  | Oral       | Non-applicable | Non-applicable          | Non-applicable         | Non-applicable         |
|   | Dermal     | Non-applicable | Non-applicable          | 43 mg/kg               | Non-applicable         |
|   | Inhalation | Non-applicable | Non-applicable          | 44 mg/m <sup>3</sup>   | 60 mg/m <sup>3</sup>   |
| 2-[2-(2-butoxyethoxy)ethoxy]ethanol<br>CAS: 143-22-6<br>EC: 205-592-6 | Oral       | Non-applicable | Non-applicable          | Non-applicable         | Non-applicable         |
|   | Dermal     | Non-applicable | Non-applicable          | 208 mg/kg              | Non-applicable         |
|   | Inhalation | Non-applicable | Non-applicable          | 195 mg/m <sup>3</sup>  | Non-applicable         |
| 2-(2-methoxyethoxy)ethanol<br>CAS: 111-77-3<br>EC: 203-906-6          | Oral       | Non-applicable | Non-applicable          | Non-applicable         | Non-applicable         |
|   | Dermal     | Non-applicable | Non-applicable          | 2.22 mg/kg             | Non-applicable         |
|   | Inhalation | Non-applicable | Non-applicable          | 50.1 mg/m <sup>3</sup> | Non-applicable         |
| 2-(2-butoxyethoxy)ethanol<br>CAS: 112-34-5<br>EC: 203-961-6           | Oral       | Non-applicable | Non-applicable          | Non-applicable         | Non-applicable         |
|   | Dermal     | Non-applicable | Non-applicable          | 83 mg/kg               | Non-applicable         |
|   | Inhalation | Non-applicable | 101.2 mg/m <sup>3</sup> | 67.5 mg/m <sup>3</sup> | 67.5 mg/m <sup>3</sup> |
| 1,1'-iminodipropan-2-ol<br>CAS: 110-97-4<br>EC: 203-820-9             | Oral       | Non-applicable | Non-applicable          | Non-applicable         | Non-applicable         |
|   | Dermal     | Non-applicable | Non-applicable          | 5 mg/kg                | Non-applicable         |
|   | Inhalation | Non-applicable | Non-applicable          | 6.4 mg/m <sup>3</sup>  | Non-applicable         |

**DNEL (General population):**

| Identification                                       |            | Short exposure |                | Long exposure        |                      |
|--|------------|----------------|----------------|----------------------|----------------------|
|  |            | Systemic       | Local          | Systemic             | Local                |
| Ethanediol<br>CAS: 107-21-1<br>EC: 203-473-3         | Oral       | Non-applicable | Non-applicable | Non-applicable       | Non-applicable       |
|  | Dermal     | Non-applicable | Non-applicable | 53 mg/kg             | Non-applicable       |
|  | Inhalation | Non-applicable | Non-applicable | Non-applicable       | 7 mg/m <sup>3</sup>  |
| 2,2'-oxybisethanol<br>CAS: 111-46-6<br>EC: 203-872-2 | Oral       | Non-applicable | Non-applicable | Non-applicable       | Non-applicable       |
|  | Dermal     | Non-applicable | Non-applicable | 21 mg/kg             | Non-applicable       |
|  | Inhalation | Non-applicable | Non-applicable | 12 mg/m <sup>3</sup> | 12 mg/m <sup>3</sup> |

- CONTINUED ON NEXT PAGE -



**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Identification  |            | Short exposure |                        | Long exposure          |                        |
|---|------------|----------------|------------------------|------------------------|------------------------|
|   |            | Systemic       | Local                  | Systemic               | Local                  |
| 2-[2-(2-butoxyethoxy)ethoxy]ethanol<br>CAS: 143-22-6<br>EC: 205-592-6 | Oral       | Non-applicable | Non-applicable         | 12.5 mg/kg             | Non-applicable         |
|   | Dermal     | Non-applicable | Non-applicable         | 125 mg/kg              | Non-applicable         |
|   | Inhalation | Non-applicable | Non-applicable         | 117 mg/m <sup>3</sup>  | Non-applicable         |
| 2-(2-methoxyethoxy)ethanol<br>CAS: 111-77-3<br>EC: 203-906-6          | Oral       | Non-applicable | Non-applicable         | 7.5 mg/kg              | Non-applicable         |
|   | Dermal     | Non-applicable | Non-applicable         | 1.33 mg/kg             | Non-applicable         |
|   | Inhalation | Non-applicable | Non-applicable         | 30.1 mg/m <sup>3</sup> | Non-applicable         |
| 2-(2-butoxyethoxy)ethanol<br>CAS: 112-34-5<br>EC: 203-961-6           | Oral       | Non-applicable | Non-applicable         | 5 mg/kg                | Non-applicable         |
|   | Dermal     | Non-applicable | Non-applicable         | 50 mg/kg               | Non-applicable         |
|   | Inhalation | Non-applicable | 60.7 mg/m <sup>3</sup> | 40.5 mg/m <sup>3</sup> | 40.5 mg/m <sup>3</sup> |
| 1,1'-iminodipropan-2-ol<br>CAS: 110-97-4<br>EC: 203-820-9             | Oral       | Non-applicable | Non-applicable         | 1.3 mg/kg              | Non-applicable         |
|   | Dermal     | Non-applicable | Non-applicable         | 6.3 mg/kg              | Non-applicable         |
|   | Inhalation | Non-applicable | Non-applicable         | 3.9 mg/m <sup>3</sup>  | Non-applicable         |

**PNEC:**

| Identification  |              |                |                         |             |
|---|--------------|----------------|-------------------------|-------------|
| Ethanediol<br>CAS: 107-21-1<br>EC: 203-473-3                          | STP          | 199.5 mg/L     | Fresh water             | 10 mg/L     |
|   | Soil         | 1.53 mg/kg     | Marine water            | 1 mg/L      |
|   | Intermittent | 10 mg/L        | Sediment (Fresh water)  | 37 mg/kg    |
|   | Oral         | Non-applicable | Sediment (Marine water) | 3.7 mg/kg   |
| 2,2'-oxybisethanol<br>CAS: 111-46-6<br>EC: 203-872-2                  | STP          | 199.5 mg/L     | Fresh water             | 10 mg/L     |
|   | Soil         | 1.53 mg/kg     | Marine water            | 1 mg/L      |
|   | Intermittent | 10 mg/L        | Sediment (Fresh water)  | 20.9 mg/kg  |
|   | Oral         | Non-applicable | Sediment (Marine water) | 2.09 mg/kg  |
| 2-[2-(2-butoxyethoxy)ethoxy]ethanol<br>CAS: 143-22-6<br>EC: 205-592-6 | STP          | 200 mg/L       | Fresh water             | 2 mg/L      |
|   | Soil         | 0.47 mg/kg     | Marine water            | 0.2 mg/L    |
|   | Intermittent | 8.4 mg/L       | Sediment (Fresh water)  | 7.7 mg/kg   |
|   | Oral         | 0.111 g/kg     | Sediment (Marine water) | 0.77 mg/kg  |
| 2-(2-methoxyethoxy)ethanol<br>CAS: 111-77-3<br>EC: 203-906-6          | STP          | 10000 mg/L     | Fresh water             | 12 mg/L     |
|   | Soil         | 2.1 mg/kg      | Marine water            | 1.2 mg/L    |
|   | Intermittent | 12 mg/L        | Sediment (Fresh water)  | 44.4 mg/kg  |
|   | Oral         | 0.09 g/kg      | Sediment (Marine water) | 0.44 mg/kg  |
| 2-(2-butoxyethoxy)ethanol<br>CAS: 112-34-5<br>EC: 203-961-6           | STP          | 200 mg/L       | Fresh water             | 1.1 mg/L    |
|   | Soil         | 0.32 mg/kg     | Marine water            | 0.11 mg/L   |
|   | Intermittent | 11 mg/L        | Sediment (Fresh water)  | 4.4 mg/kg   |
|   | Oral         | 0.056 g/kg     | Sediment (Marine water) | 0.44 mg/kg  |
| 1,1'-iminodipropan-2-ol<br>CAS: 110-97-4<br>EC: 203-820-9             | STP          | 15000 mg/L     | Fresh water             | 0.278 mg/L  |
|   | Soil         | 0.303 mg/kg    | Marine water            | 0.028 mg/L  |
|   | Intermittent | 2.777 mg/L     | Sediment (Fresh water)  | 2.33 mg/kg  |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0.233 mg/kg |

**8.2 Exposure controls:**

**A.- Individual protection measures, such as personal protective equipment**

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

**B.- Respiratory protection**


The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

**C.- Specific protection for the hands**

- CONTINUED ON NEXT PAGE -




**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Pictogram  | PPE   | Remarks  |
|--|---|--|
| <br>Mandatory hand protection | Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm) | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.



**D.- Eye and face protection**

| Pictogram  | PPE   | Remarks   |
|--|---|---|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

**E.- Body protection**

| Pictogram | PPE                  | Remarks   |
|-----------|----------------------|---|
|           | Work clothing        | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007                                 |

**F.- Additional emergency measures**

| Emergency measure   | Standards                                       | Emergency measure  | Standards                                      |
|---|---|--|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012:**

|                          |                                       |
|--------------------------|---------------------------------------|
| V.O.C. (Supply):         | 44.9 % weight                         |
| V.O.C. density at 20 °C: | 464.72 kg/m <sup>3</sup> (464.72 g/L) |

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

|                          |   |
|--------------------------|---|
| Physical state at 20 °C: | Liquid  |
| Appearance:              | Fluid   |
| Colour:                  |  Amber |
| Odour:                   | Soft  |
| Odour threshold:         | Non-applicable *  |

**Volatility:**

|  |        |
|--|--------|
| Boiling point at atmospheric pressure: | 265 °C |
|--|--------|

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

|  |                         |
|--|-------------------------|
| Vapour pressure at 20 °C:                    | 3 Pa                    |
| Vapour pressure at 50 °C:                    | 40.83 Pa (0.04 kPa)     |
| Evaporation rate at 20 °C:                   | Non-applicable *        |
| <b>Product description:</b>                  |                         |
| Density at 20 °C:                            | 1035 kg/m <sup>3</sup>  |
| Relative density at 20 °C:                   | 1.035                   |
| Dynamic viscosity at 20 °C:                  | 2.55 cP                 |
| Kinematic viscosity at 20 °C:                | 2.51 mm <sup>2</sup> /s |
| Kinematic viscosity at 40 °C:                | Non-applicable *        |
| Concentration:                               | Non-applicable *        |
| pH:  | 7 - 9 (at 100 %)        |
| Vapour density at 20 °C:                     | Non-applicable *        |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable *        |
| Solubility in water at 20 °C:                | Non-applicable *        |
| Solubility properties:                       | Highly water-soluble    |
| Decomposition temperature:                   | Non-applicable *        |
| Melting point/freezing point:                | Non-applicable *        |
| <b>Flammability:</b>                         |                         |
| Flash Point:                                 | 125 °C                  |
| Flammability (solid, gas):                   | Non-applicable *        |
| Autoignition temperature:                    | 295 °C                  |
| Lower flammability limit:                    | Non-applicable *        |
| Upper flammability limit:                    | Non-applicable *        |
| <b>Particle characteristics:</b>             |                         |
| Median equivalent diameter:                  | Non-applicable          |

### 9.2 Other information:

#### Information with regard to physical hazard classes:

|  |                  |
|--|------------------|
| Explosive properties:  | Non-applicable * |
| Oxidising properties:  | Non-applicable * |
| Corrosive to metals:   | Non-applicable * |
| Heat of combustion:  | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |

#### Other safety characteristics:

|                           |                  |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index:         | Non-applicable * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

- CONTINUED ON NEXT PAGE -



## SECTION 10: STABILITY AND REACTIVITY (continued)

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity       |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Not applicable |

### 10.5 Incompatible materials:

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Not applicable      | Not applicable        | Avoid alkalis or strong bases |

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

#### A- Ingestion (acute effect):

- Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces eye damage after contact.

#### D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

#### E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### G- Specific target organ toxicity (STOT)-repeated exposure:

- CONTINUED ON NEXT PAGE -





## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Non-applicable

### Specific toxicology information on the substances:

| Identification                                       | Acute toxicity |                | Genus  |
|--|----------------|----------------|--------|
|  | LD50 oral      | LD50 dermal    |        |
| Ethanediol<br>CAS: 107-21-1                          | 500 mg/kg      | >5000 mg/kg    | Rat    |
|  | Non-applicable |                | Rabbit |
|  |                |                |        |
| 2,2' -oxybisethanol<br>CAS: 111-46-6                 | 500 mg/kg      | 11890 mg/kg    | Rat    |
|  | Non-applicable |                | Rabbit |
|  |                |                |        |
| 2-[2-(2-butoxyethoxy)ethoxy]ethanol<br>CAS: 143-22-6 | 5170 mg/kg     | 3480 mg/kg     | Rat    |
|  | Non-applicable |                | Rabbit |
|  |                |                |        |
| 2-(2-methoxyethoxy)ethanol<br>CAS: 111-77-3          | 7128 mg/kg     | 9404 mg/kg     | Rat    |
|  | Non-applicable |                | Rabbit |
|  |                |                |        |
| 1,1'-iminodipropan-2-ol<br>CAS: 110-97-4             | 4765 mg/kg     | Non-applicable | Rat    |
|  | Non-applicable |                |        |
|  | Non-applicable |                |        |

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

#### Acute toxicity:

| Identification                                       | Concentration      |      | Species                   | Genus      |
|--|--------------------|------|---------------------------|------------|
|  | LC50               | EC50 |                           |            |
| Ethanediol<br>CAS: 107-21-1                          | 53000 mg/L (96 h)  |      | Pimephales promelas       | Fish       |
|  | 51000 mg/L (48 h)  |      | Daphnia magna             | Crustacean |
|  | 24000 mg/L (168 h) |      | Selenastrum capricornutum | Algae      |
| 2,2' -oxybisethanol<br>CAS: 111-46-6                 | 32000 mg/L (96 h)  |      | Gambusia affinis          | Fish       |
|  | 84000 mg/L (48 h)  |      | Daphnia magna             | Crustacean |
|  | Non-applicable     |      |                           |            |
| 2-[2-(2-butoxyethoxy)ethoxy]ethanol<br>CAS: 143-22-6 | 2400 mg/L (96 h)   |      | Pimephales promelas       | Fish       |
|  | 3200 mg/L (24 h)   |      | Daphnia magna             | Crustacean |
|  | Non-applicable     |      |                           |            |
| 2-(2-methoxyethoxy)ethanol<br>CAS: 111-77-3          | 5741 mg/L (96 h)   |      | Pimephales promelas       | Fish       |
|  | 1192 mg/L (48 h)   |      | Daphnia magna             | Crustacean |
|  | Non-applicable     |      |                           |            |
| 2-(2-butoxyethoxy)ethanol<br>CAS: 112-34-5           | 1300 mg/L (96 h)   |      | Lepomis macrochirus       | Fish       |
|  | 2850 mg/L (24 h)   |      | Daphnia magna             | Crustacean |
|  | 53 mg/L (192 h)    |      | Microcystis aeruginosa    | Algae      |

#### Chronic toxicity:

- CONTINUED ON NEXT PAGE -



SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification                                       | Concentration |                | Species            | Genus      |
|--|---------------|----------------|--------------------|------------|
| 2,2'-oxybisethanol<br>CAS: 111-46-6                  | NOEC          | Non-applicable |                    |            |
|  | NOEC          | 8590 mg/L      | Ceriodaphnia dubia | Crustacean |
| 2-[2-(2-butoxyethoxy)ethoxy]ethanol<br>CAS: 143-22-6 | NOEC          | Non-applicable |                    |            |
|  | NOEC          | 100 mg/L       | Daphnia magna      | Crustacean |

12.2 Persistence and degradability:

Substance-specific information:

| Identification                                       | Degradability |                | Biodegradability |                |
|--|---------------|----------------|------------------|----------------|
| Ethandiol<br>CAS: 107-21-1                           | BOD5          | 0.47 g O2/g    | Concentration    | 100 mg/L       |
|  | COD           | 1.29 g O2/g    | Period           | 14 days        |
|  | BOD5/COD      | 0.36           | % Biodegradable  | 90 %           |
| 2,2'-oxybisethanol<br>CAS: 111-46-6                  | BOD5          | 0.05 g O2/g    | Concentration    | 100 mg/L       |
|  | COD           | 1.51 g O2/g    | Period           | 28 days        |
|  | BOD5/COD      | 0.03           | % Biodegradable  | 90 %           |
| 2-[2-(2-butoxyethoxy)ethoxy]ethanol<br>CAS: 143-22-6 | BOD5          | 0.3 g O2/g     | Concentration    | 10 mg/L        |
|  | COD           | 1.83 g O2/g    | Period           | 14 days        |
|  | BOD5/COD      | 0.16           | % Biodegradable  | 88 %           |
| 2-(2-methoxyethoxy)ethanol<br>CAS: 111-77-3          | BOD5          | Non-applicable | Concentration    | Non-applicable |
|  | COD           | Non-applicable | Period           | 28 days        |
|  | BOD5/COD      | Non-applicable | % Biodegradable  | 100 %          |
| 2-(2-butoxyethoxy)ethanol<br>CAS: 112-34-5           | BOD5          | 0.25 g O2/g    | Concentration    | 100 mg/L       |
|  | COD           | 2.08 g O2/g    | Period           | 28 days        |
|  | BOD5/COD      | 0.12           | % Biodegradable  | 92 %           |

12.3 Bioaccumulative potential:

Substance-specific information:

| Identification                                       | Bioaccumulation potential |       |
|--|---------------------------|-------|
| Ethandiol<br>CAS: 107-21-1                           | BCF                       | 10    |
|  | Pow Log                   | -1.36 |
|  | Potential                 | Low   |
| 2,2'-oxybisethanol<br>CAS: 111-46-6                  | BCF                       | 0     |
|  | Pow Log                   | -1.47 |
|  | Potential                 | Low   |
| 2-[2-(2-butoxyethoxy)ethoxy]ethanol<br>CAS: 143-22-6 | BCF                       | 3     |
|  | Pow Log                   | 0.62  |
|  | Potential                 | Low   |
| 2-(2-methoxyethoxy)ethanol<br>CAS: 111-77-3          | BCF                       | 3     |
|  | Pow Log                   | -1.18 |
|  | Potential                 | Low   |
| 2-(2-butoxyethoxy)ethanol<br>CAS: 112-34-5           | BCF                       | 0.46  |
|  | Pow Log                   | 0.56  |
|  | Potential                 | Low   |

12.4 Mobility in soil:

| Identification                              | Absorption/desorption |                      | Volatility |                                 |
|---|-----------------------|----------------------|------------|---------------------------------|
| Ethandiol<br>CAS: 107-21-1                  | Koc                   | 0                    | Henry      | 1.327E-1 Pa·m <sup>3</sup> /mol |
|   | Conclusion            | Very High            | Dry soil   | No                              |
|   | Surface tension       | 4.989E-2 N/m (25 °C) | Moist soil | No                              |
| 2,2'-oxybisethanol<br>CAS: 111-46-6         | Koc                   | 1                    | Henry      | 2.06E-4 Pa·m <sup>3</sup> /mol  |
|   | Conclusion            | Very High            | Dry soil   | No                              |
|   | Surface tension       | 4.954E-2 N/m (25 °C) | Moist soil | No                              |
| 2-(2-methoxyethoxy)ethanol<br>CAS: 111-77-3 | Koc                   | 1                    | Henry      | 1.621E-6 Pa·m <sup>3</sup> /mol |
|   | Conclusion            | Very High            | Dry soil   | Non-applicable                  |
|   | Surface tension       | 3.59E-2 N/m (25 °C)  | Moist soil | No                              |

- CONTINUED ON NEXT PAGE -



## SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification                             | Absorption/desorption |                          | Volatility |                               |
|--|-----------------------|--------------------------|------------|-------------------------------|
| 2-(2-butoxyethoxy)ethanol<br>CAS: 112-34-5 | Koc                   | 48                       | Henry      | 7.2E-9 Pa·m <sup>3</sup> /mol |
|  | Conclusion            | Very High                | Dry soil   | No                            |
|  | Surface tension       | 3.395E-2 N/m (25 °C)     | Moist soil | No                            |
| 1,1'-iminodipropan-2-ol<br>CAS: 110-97-4   | Koc                   | Non-applicable           | Henry      | Non-applicable                |
|  | Conclusion            | Non-applicable           | Dry soil   | Non-applicable                |
|  | Surface tension       | 1.619E-2 N/m (221.93 °C) | Moist soil | Non-applicable                |

### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

### 12.6 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

| Code | Description   | Waste class |
|------|---|-------------|
|      | It is not possible to assign a specific code, as it depends on the intended use by the user | Dangerous   |

#### Type of waste:

HP6 Acute Toxicity, HP10 Toxic for reproduction, HP4 Irritant — skin irritation and eye damage

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

## SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

#### The Control of Major Accident Hazards Regulations 2015:

Non-applicable

#### Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):

Contains more than 0.1 % of 2-(2-methoxyethoxy)ethanol by weight. Shall not be placed on the market after 27 June 2010, for supply to the general public, as a constituent of paints, paint strippers, cleaning agents, selfshining emulsions or floor sealants in concentrations equal to or greater than 0,1 % by weight.

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

- CONTINUED ON NEXT PAGE -

**SECTION 15: REGULATORY INFORMATION (continued)**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.

Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

**SECTION 16: OTHER INFORMATION****Legislation related to safety data sheets:**

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

**Texts of the legislative phrases mentioned in section 2:**

H319: Causes serious eye irritation.

H302: Harmful if swallowed.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**GB CLP Regulation:**

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Repr. 1B: H360D - May damage the unborn child.

**Classification procedure:**

Eye Irrit. 2: Calculation method

Acute Tox. 4: Calculation method

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -